

APPLICATION GUIDE

MAKE & MODEL:	YEAR:	SOUND SYSTEM QUALITY LEVEL:	INSTALL A RADIO:
BUICK			
LeSabre w/RDS Chime	2000-2005	STANDARD OR AFTERMARKET	DCGM14
Rainier	2004-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Rainier	2004-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Terrazza	2004-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Terrazza	2005-2006	STANDARD OR AFTERMARKET	DCGM09 ²
CADILLAC			
Escalade	1999-2000	BOSE	DCGM0S1B14
Escalade	2002	BOSE	DCGM0S1B14
Escalade/ EXT/ ESV	2003-2006	PREMIUM BOSE	
Escalade/ EXT/ ESV	2003-2006	AFTERMARKET	DCGM09 ²
CHEVROLET			
Avalanche	2001-2002	STANDARD	NR*
Avalanche	2001-2002	BOSE	GM02+SLC-4
Avalanche	2003-2006	BOSE	DCGM09 ²
Avalanche	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Blazer	1999-2002	STANDARD	NR*
Blazer	1999-2002	BOSE	GM02+SLC-4
Cavalier	2000-2005	STANDARD	DCGM09 ²
Corvette	1997-2003	BOSE	GM02+SLC-4
Corvette	2005-2006	BOSE	DCGM09 ²
Equinox	2005-2006	STANDARD OR AFTERMARKET	DCGM16
Express	2006-2006	STANDARD	DCGM09 ²
Impala	2000-2004	STANDARD	DCGM09 ²
Lumina	1998-1999	STANDARD	NR*
Lumina	1998-1999	BOSE	GM02+SLC-4
Malibu	2001-2003	STANDARD	DCGM09 ²
Monte Carlo	2000-2005	STANDARD	DCGM09 ²
Silverado	1995-2000	STANDARD	NR*
Silverado	1995-2000	BOSE	GM02+SLC-4
Silverado	2001-2002	STANDARD	NR*
Silverado	2001-2002	BOSE	GM02+SLC-4
Silverado	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Silverado	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Suburban	1998-2000	STANDARD	NR*
Suburban	1998-2000	BOSE	GM02+SLC-4
Suburban	2001-2002	STANDARD	NR*
Suburban	2001-2002	BOSE	GM02+SLC-4
Suburban	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Suburban	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Tahoe	1998-2000	STANDARD	NR*

DCGM0S211¹= These vehicles have a premium Bose® amp that only accepts 2 channel audio inputs. The aftermarket radio will not fade, however it will still continue to balance. OnStar® volume can be controlled via the steering wheel audio controls. The DCGMCM2B12 chime module is not required when using the BOSE® amplifier. If you are not using the BOSE® amplifier, then the DCGM0S210 and DCGMCM2B12 interfaces are required.

800.621.3695 ext 3

800.350.0687

112

tech support

fax orders

INSTALL A RADIO AND RETAIN YOUR ONSTAR:	DOOR/WARNING CHIME RETENTION ADD-ON FOR GMAH24:	INSTALL AN AMPLIFIER:	CREATE AN AUDIO INPUT FOR SATELLITE RADIO OR VIDEO SYSTEM:
NA	NA	LOC-80/SLC-4	NA
DCGMOS2B11	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B12	LOC-80/SLC-	DCGMAUX15/DCGMAUX17
DCGMOS2B11	Not required	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B1	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS2B11	Not required		DCGMAUX15/DCGMAUX17
GMOS210	DCGMCM2B12	NA	NA
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS2B11	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B1	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS21	DCGMCM2B1	LOC-80/SLC-4	NA
NA	NA	LOC-80/SLC-4	NA
DCGMOS2B11	DCGMCM2B12	LOC-80/SLC-4	NA
NA	NA	LOC-80/SLC-4	NA
DCGMOS210	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
NA	NA	LOC-80/SLC-4	NA
NA	NA	LOC-80/SLC-4	NA
NA	NA	LOC-80/SLC-4	NA
DCGMOS210	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
NA	NA	LOC-80/SLC-4	
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS2B11	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B12	LOC-80/SLC-4	DCGMAUX15/DCGMAUX17
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS213	NA	LOC-80/SLC-4	
DCGMOS1B14	NA	LOC-80/SLC-4	
DCGMOS2B11	DCGMCM2B12		DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B12		DCGMAUX15/DCGMAUX17
DCGMOS213	NA		
DCGMOS213	NA		
DCGMOS213	NA		
DCGMOS1B14	NA		
DCGMOS2B11	DCGMCM2B12		DCGMAUX15/DCGMAUX17
DCGMOS210	DCGMCM2B12		DCGMAUX15/DCGMAUX17
DCGMOS213	NA	LOC-80/SLC-4	

DCGM09²= Is compatible with GM's "Standard BOSE®" if OnStar® retention is not required or "Premium BOSE®" if the new system utilizes new amplifiers and OnStar® retention is not required.

NR*= Nothing Required (use standard wire harness)

NA= Not Applicable

2004-2005 BUICK RENDEZVOUS / 2006 HUMMER H3 require additional splice connection behind radio.

800.363.4490 ext 1

www.scosche.com

sales hot line

SCOSCHE®

113

APPLICATION GUIDE

MAKE & MODEL:	YEAR:	SOUND SYSTEM QUALITY LEVEL:	INSTALL A RADIO:
CHEVROLET (Cont'd)			
Tahoe	1998-2000	BOSE	GM02+SLC-4
Tahoe	2001-2002	STANDARD	NR*
Tahoe	2001-2002	BOSE	GM02+SLC-4
Tahoe	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Tahoe	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Tahoe	1995-1998	BOSE	GM02+SLC-4
Tahoe	1999-2001	BOSE	GM02+SLC-4
TrailBlazer	2002-2006	STANDARD	DCGM09 ²
TrailBlazer	2002-2006	PREMIUM BOSE	DCGM09 ²
TrailBlazer LS	2002-2006	STANDARD OR AFTERMARKET	DCGM09 ²
TrailBlazer LT	2002-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
TrailBlazer LT	2002-2006	STANDARD OR AFTERMARKET	DCGM09 ²
TrailBlazer LTZ	2002-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
TrailBlazer LTZ	2002-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Venture	1998-2000	STANDARD	NR*
Venture	1998-2000	BOSE	GM02+SLC-4
Venture	2001-2005	STANDARD	DCGM09 ²
GMC			
Envoy SLE	2002-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Envoy SLT	2002-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Envoy SLT	2002-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Savana	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Sierra	1997-2000	STANDARD	NR*
Sierra	1997-2000	BOSE	GM02+SLC-4
Sierra	2001-2002	STANDARD	NR*
Sierra	2001-2002	BOSE	GM02+SLC-4
Sierra	2003-2005	PREMIUM OR STANDARD BOSE	DCGM09 ²
Sierra	2003-2005	STANDARD OR AFTERMARKET	DCGM09 ²
Sierra Denali	2003	PREMIUM OR STANDARD BOSE	DCGM09 ²
Sierra Denali	2003	STANDARD OR AFTERMARKET	DCGM09 ²
Yukon	1998-2000	STANDARD	NR*
Yukon	1998-2000	BOSE	GM02+SLC-4
Yukon	2001-2002	STANDARD	NR*
Yukon	2001-2002	BOSE	GM02+SLC-4
Yukon XL	1998-2000	STANDARD	NR*
Yukon XL	1998-2000	BOSE	GM02+SLC-4
Yukon XL	2001-2002	STANDARD	NR*
Yukon XL	2001-2002	BOSE	GM02+SLC-4
Yukon Denali	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Yukon Denali	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Yukon SLT	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
Yukon SLT	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
HUMMER			
H2	2003-2006	PREMIUM OR STANDARD BOSE	NA
H2	2003-2006	AFTERMARKET	NA
H3	2006	PREMIUM OR STANDARD BOSE	NA
H3	2006	AFTERMARKET	DCGM09 ²
ISUZU			
Ascender	2003-2006	STANDARD OR AFTERMARKET	DCGM09 ²
Ascender	2003-2006	PREMIUM OR STANDARD BOSE	DCGM09 ²
OLDSMOBILE			
Alero	2002	STANDARD	DCGM09 ²
Aurora	2001-2003	STANDARD	DCGM14
Bravada	2003-2004	STANDARD	DCGM09 ²
Silhouette	1998-2000	STANDARD	NR*
Silhouette	1998-2000	BOSE	GM02+SLC-4
PONTIAC			
Bonneville	2001-2005	STANDARD	DCGM14
Grand Am	2002-2005	STANDARD	DCGM09 ²
Grand Prix	1999-2003	STANDARD	NR*
Grand Prix	1999-2003	BOSE	GM02+SLC-4
Grand Prix	2004-2005	STANDARD	DCGM09 ²
Montana	1998-2000	STANDARD	NR*
Montana	1998-2000	BOSE	GM02+SLC-4
Montana / Transport	2001-2005	STANDARD	DCGM09 ²
Sunfire	2000-2005	STANDARD	DCGM09 ²

DCGM0S211¹ = These vehicles have a premium Bose® amp that only accepts 2 channel audio inputs. The aftermarket radio will not fade, however it will still continue to balance. OnStar® volume can be controlled via the steering wheel audio controls. The DCGMCM2B12 chime module is not required when using the BOSE® amplifier. If you are not using the BOSE® amplifier, then the DCGMOS210 and DCGMCM2B12 interfaces are required.

800.621.3695 ext 3

800.350.0687

GM INTERFACE APPLICATION GUIDE

CREATE AN AUDIO INPUT FOR SATELLITE RADIO OR VIDEO SYSTEM:

2004-2005 BUICK RENDEZVOUS / 2006 HUMMER H3 require additional splice connection behind radio